

# Celiveo® 8 - August 2020 Release 20H

---

Release Notes for Ricoh Embedded Agent

Version: 8.8.1

© Copyright 2020 Celiveo Pte Ltd



# Copyright Information

©2011 - 2020 Jetmobile Pte Ltd

Parts under license from JetCAPS International Business Strategy SAS

Protected by US patent number: 6,889,252

Protected by Singapore patent number: 104066

Protected by Australian Patent number: 2002350998

Reproduction, adaptation, or translation without prior written permission is prohibited except as allowed under the copyright laws. The information contained herein is subject to change without notice.

The only warranties for Jetmobile products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Jetmobile shall not be liable for technical or editorial errors or omissions contained herein.

Printer and printer interfaces use technology developed by Jetmobile Pte Ltd and technology under license from Ricoh. Jetmobile Pte Ltd and our licensors control all intellectual property and copyrights in this product.

## Trademark Credits:

Celiveo is a registered trademark of Jetmobile Pte Ltd.

All other marks are the property of their respective owners.

Revision - 08/2020

# Table of Contents


Copyright Information .....	2
Table of Contents.....	3
Release Version .....	4
Product Safety Testing .....	4
Features.....	5
Supported Printers.....	6
System Requirements .....	7
1.1 Configure the printer (pre-installation).....	8
1.1.1 Configure network settings (IP and DNS settings) .....	8
Known Limitations .....	10

## Release Version

Software / Firmware	Version
Celiveo Product Installer (includes Web Admin)	8.8.14.2
Celiveo Ricoh Embedded Agent	8.8.1
TGS 10 (Reporting Tool)	10.0.8.2

## Product Safety Testing

Celiveo 8 solution for Ricoh Embedded Agent has come out clean and free of any virus while performing Antivirus scan using NOD32 ANTIVIRUS v13.2.16.0, with the detection engine 21889 (20200827).


<h3>Computer scan</h3>
Scan Log
Version of detection engine: 21889 (20200827)
Date: 27/8/2020 Time: 3:59:42 pm
Scanned disks, folders and files: C:\8.8.1.mr
Number of scanned objects: 2
Number of detections: 0
Time of completion: 3:59:42 pm Total scanning time: 0 sec (00:00:00)

# Features

- Print Rules and Access Rules based on Quotas.
- Quota Management:
  - Hide Job Cost and Quota Balance information when quota is not enabled.
  - Support OU / Group profiles in an Alias Environment.
- High Availability (HA) is available without any optional connector.
- Alphanumeric ID Code Support.
- Reader PID/VID and reader information are now configured on the Web Admin and automatically communicated to the printer agent during synchronization.
- Support of ELATEC card readers from the TWN4 Family (PID 0x0410, VID 0x09D8).
- Full Cache Support.

# Supported Printers

## Ricoh

This embedded agent is compatible with Ricoh SOP Android models only. Please refer to our [website](#) to get the list of compatible Ricoh printers.

## Supported Printer Drivers

**Note: This is applicable for Celiveo Virtual Printer**


- Ricoh UPD PCL6
- Ricoh UPD PS

# System Requirements

Before you install, make sure these prerequisites are met:

- The printer is connected to an active LAN connection.
- The printer has a fixed IP or DHCP reserved IP address.
- The network allows management by Simple Network Management Protocol (SNMP) v1/v2.
- Enable HTTPS for Ricoh secure access.
- From the Ricoh Web Image Monitor, set the printer session time to be longer than the default Celiveo Web Admin inactivity time out (30 sec).
- JRE (Java SE Runtime Environment) 8 is installed in the virtual machine, in which Celiveo solution (Web Admin) will be deployed.
- SQL Server is configured to listen to port 1433 for TCP/IP connections.
- Java TM platform is enabled on the printer.

**Note:** This is applicable ONLY for Ricoh Android SOP G2 printers.




TRACK_PERMISSION	0
------------------	---

1. Values can be viewed by selecting "Get SP".

## 1.1 Configure the printer (pre-installation)

### 1.1.1 Configure network settings (IP and DNS settings)

1. Press **User Tools**, then select **Machine Features**.



2. When prompted, enter a valid username and password.
3. Choose **System Settings** and then select **Interface Settings** tab.






4. Press **DNS Configuration**.
5. Enter the required DNS settings for your network.





6. To apply the settings, press **Exit**.



Ensure that Celiveo Web Admin and Ricoh printer are in the same network, i.e. they are connected to the same DNS server and have network accessibility to each other.

# Known Limitations

No.	Description
#8883	<p>Logout fails and displays an error message, when user attempts to sign out from Scan to Email preview screen at the printer.</p> <p><b>Workaround:</b> Press either the Cancel button to cancel or the Send button to complete the scan operation. Logout button will be enabled after this.</p>
#8959	<p>Printing rules do not take effect at the printer, if printing rule notification message is not defined in Web Admin.</p>
#8985	<p>Sometimes while synchronizing printer from Web Admin, an error is seen as "Sync failed: Could not connect to database" before moving to successful synchronization.</p>
#7970	<p>When printer goes to Sleep mode, it normally takes an additional 5-10 seconds for the Reader to sleep. If a user tries to perform badge authentication (by tapping card) at the time, Reader may become unresponsive. Login screen is not displayed and reader becomes unresponsive when user tries to wake the printer as soon as it goes to Sleep mode.</p> <p><b>Workaround:</b> Press on the printer panel to wake up the printer from sleep mode</p>
#8976	<p>Page orientation data is missing in the tracking report when performing a Pull print with orientation specifics applied.</p>
#9390	<p>Authenticated user's email address is not auto-populated in the "To" field, when the user performs "Scan to Email" at the printer.</p>
#13993	<p>On Ricoh C307 printers, a firmware defect causes the printer to enter a "System_Busy" state after printing from USB. This causes the loss of tracking data.</p> <p><b>Workaround:</b> Log in as Administrator and Logout or restart the printer.</p>
#16961	<p>Print Queue Rights based on print rules. The below criteria setting is available on Web Admin however the this is currently not available for Ricoh Embedded Agent.</p> 
#15399	<p>Self-Enrollment - Card Number – ID Currently, the Ricoh Embedded Agent is only supporting the Primary field</p> 
#18448	<p>When the defined Printer language uses commas in the currency formatting, tracking does not work.</p> <p><b>Workaround:</b> Switch the printer language back to English, then synchronize the printer in the desired language in Celiveo Web Admin.</p>

